

Closed Topic Search

Enter terms
Search

[Reset](#) Sort By: Close Date (descending)

- [Relevancy \(descending\)](#)
- [Title \(ascending\)](#)
- [Open Date \(descending\)](#)
- [Close Date \(ascending\)](#)
- [Release Date \(descending\)](#)

NOTE: The Solicitations and topics listed on this site are copies from the various SBIR agency solicitations and are not necessarily the latest and most up-to-date. For this reason, you should visit the respective agency SBIR sites to read the official version of the solicitations and download the appropriate forms and rules.

Displaying 31 - 40 of 4031 results

Closed Topic Search

Published on SBIR.gov (<https://www.sbir.gov>)

1. SB152-004: Many-Core Acceleration of Common Graph Programming Frameworks

Release Date: 04-24-2015 Open Date: 05-22-2015 Due Date: 06-24-2015 Close Date: 06-24-2015

Today there is a DoD need for graph analytics capabilities, which are critical for a large range of application domains with a vital impact on both national security and the national economy, including, among others: counter-terrorism; fraud detection; drug discovery; cyber-security; social media; logistics and supply chains; e-commerce, etc. Widely used graph development frameworks have enabled o ...

SBIR Defense Advanced Research Projects Agency Department of Defense

2. A152-097: Underbody Blast, Crash and Rollover Interior Impact Injury Prevention Technologies

Release Date: 04-24-2015 Open Date: 05-22-2015 Due Date: 06-24-2015 Close Date: 06-24-2015

Non-traditional interior roof military vehicle impact injury prevention technologies address the challenge to provide warfighter survivability, allowing them to complete their mission, by preventing impact related injuries such as skull fractures and neck injuries, otherwise incurred during underbody blast, crash and rollover events. The solution accounts for the full range of occupants to include ...

SBIR Army Department of Defense

3. SB152-005: Ovenized Inertial Micro Electro Mechanical Systems

Release Date: 04-24-2015 Open Date: 05-22-2015 Due Date: 06-24-2015 Close Date: 06-24-2015

There is a critical DoD need for capabilities that focus on temperature stabilization of MEMS inertial sensors to improve bias and scale factor stability. Military operations rely on satellite-based Global Positioning System (GPS) for precision Positioning, Navigation & Timing (PNT) information. However, GPS is an extremely small signal, which may be degraded due to signal interference or obstruct ...

SBIR Defense Advanced Research Projects Agency Department of Defense

4. A152-098: Variable Energy Ignition System for Heavy Fuel Rotary Engine

Release Date: 04-24-2015 Open Date: 05-22-2015 Due Date: 06-24-2015 Close Date: 06-24-2015

There currently is a shortcoming for heavy fuel engines that have a rated power below 100 BHP that are compatible with both JP-8 and DF-2, have high power to weight and power to volume density, provide good fuel consumption characteristics, and operate over extreme climatic ranges ranging from below -25 F to 125 F ambient. One developing technology that could potentially fit this niche market are ...

SBIR Army Department of Defense

5. [A152-100: Low Cost, Low Temperature Processing, High Use Temperature Composite Material](#)

Release Date: 04-24-2015 Open Date: 05-22-2015 Due Date: 06-24-2015 Close Date: 06-24-2015

There is an emphasis on lightweight systems; however, many armament systems have use-temperatures that exceed traditional organic, composite systems. Specialty polymers can extend the range to 700F, but are expensive and hard to process. High-use temperature composites include pre-ceramic polymers, ceramic matrix and metal matrix composites. All of these are expensive and hard to process. This eff ...

SBIR Army Department of Defense

6. [SB152-006: Compact, Configurable, Real-Time Infrared Hyperspectral Imaging System](#)

Release Date: 04-24-2015 Open Date: 05-22-2015 Due Date: 06-24-2015 Close Date: 06-24-2015

There is a compelling DoD need to create a low cost, compact and reconfigurable infrared imaging spectrometer that can operate in real time, and in a variety of backgrounds and ambient conditions. Hyperspectral imaging (HSI) systems have been fielded for the detection of hazardous chemical and explosives threat materials, tag detection, friend vs. foe detection (IFF) and other defense critical sen ...

SBIR Defense Advanced Research Projects Agency Department of Defense

7. [N152-081: Synthesis and Realization of Broadband Magnetic Flux Channel Antennas](#)

Release Date: 04-24-2015 Open Date: 05-22-2015 Due Date: 06-24-2015 Close Date: 06-24-2015

Significant advances have been made recently in the development of magnetic antennas. These antennas are magnetic duals of electric antennas, which allow them to be mounted directly on an aircraft surface. No frequency-dependent backing-cavities are required, which allows true frequency-independent operations. Flux channels in the form of magnetic rings have been shown to replace vertical elements ...

SBIR Navy Department of Defense

8. [SB152-008: Low Cost Expendable Launch Technology](#)

Release Date: 04-24-2015 Open Date: 05-22-2015 Due Date: 06-24-2015 Close Date: 06-24-2015

There is a compelling DoD need to leverage emerging commercial entrepreneurial and defense technologies enabling lightweight, high-specific-energy liquid-rocket technology. Many established aerospace and emerging entrepreneurial companies are developing new rocket stage technologies that promise to reduce the cost of access to space. The goal of this topic is to leverage these investments to enabl ...

SBIR Defense Advanced Research Projects AgencyDepartment of Defense

9. [N152-082: Design and Produce Millimeter Wave Dipole Chaff with High Radar Cross Section](#)

Release Date: 04-24-2015Open Date: 05-22-2015Due Date: 06-24-2015Close Date: 06-24-2015

Current aircraft radio frequency (RF) chaff is made from aluminum coated glass filaments produced in a continuous strand and then cut to lengths that achieve the desired resonance at frequencies in the 2-18 GHz band. The filaments require a slip coating to prevent end welding of fibers when cut, and to minimize clumping when ejected. The typical chaff cartridge can contain millions of these coated ...

SBIR NavyDepartment of Defense

10. [N152-083: Synthetic Aperture Radar Approaches for Small Maritime Target Detection and Discrimination](#)

Release Date: 04-24-2015Open Date: 05-22-2015Due Date: 06-24-2015Close Date: 06-24-2015

Traditionally SAR has been used to provide imagery of fixed structures on land. Objects moving in the scene were unfocused and generally not of value. For large vessels at sea in relatively calm conditions, some advanced focusing algorithms are able to provide high quality imagery but are not useful for small vessels with very dynamic movements. For maritime environments, the community has relied ...

SBIR NavyDepartment of Defense

- [First](#)
- [Previous](#)
- [1](#)
- [2](#)
- [3](#)
- [4](#)
- [5](#)
- [6](#)
- [7](#)
- [8](#)
- [9](#)
- ...
- [Next](#)
- [Last](#)

```
jQuery(document).ready( function() { (function ($) { $('#edit-keys').attr("placeholder", 'Search Keywords'); $('span.ext').hide(); })(jQuery); });
```